UNC Frank Porter Graham Child Development Institute Autism Team

# Supporting Individuals with Autism through Uncertain Times

Kara Hume, Ph.D., UNC School of Education, & UNC FPG Autism Team: Victoria Waters, Ann Sam, Jessica Steinbrenner, Yolanda Perkins, Becky Dees, Brianne Tomaszewski, Lindsay Rentschler, Susan Szendrey, Nancy McIntyre, Mary White, Sallie Nowell, & Sam Odom

#### Some content adapted from Hume, Regan, Megronigle, & Rhinehalt, 2016

All children and young adults require support from caregivers during times of stress and uncertainty, such as those we are facing now with the spread of the coronavirus (COVID-19). Coping with the unknown and navigating school closures, abrupt changes in routines, loss of connections with teachers and friends, and fear around contracting the virus- are burdens for all, and caregivers play an important role in helping children and young adults understand the changes and process their related feelings. Individuals with autism may need additional support to process the news and adapt to the many changes. This population may face additional challenges related to comprehension, communication, difficulty understanding

## 7 Strategies to Support Individuals with ASD through Uncertain Times

CSESA



AFIRM Autism Focused Intervention Resources & Modules

> abstract language, an insistence on sameness, and a greater likelihood of anxiety and depression—all of which may be exasperated during this stressful period.

The National Professional Development Center on Autism Spectrum Disorder: TESELA

The following **7 support strategies** are designed to meet the unique needs of individuals with autism during this period of uncertainty. In addition, examples and ready-made resources are included to help caregivers implement these strategies quickly and easily. These materials purposely represent a variety of styles/designs/complexity to model the range of what may be most meaningful across ages and skills, and to demonstrate what can be generated with few materials by busy caregivers. Specific adaptations and additions may be necessary to best meet the varied needs of individual children and young adults.

These strategies are intended to be a menu or toolkit of ideas that may be helpful-- caregivers may take one idea at a time and find a way to make it work for their child(ren) with autism and their family. Caregivers may want to start with a strategy they have used in the past, or perhaps find a tool to address the issue that is creating the most immediate stress. Consider involving the individual with autism in the decision-making process about what tools would be most helpful.







#### Table of Contents

Support Understanding	5
COVID-19	7
Coronavirus – COVID-19	8
Greeting People	9
Giving People Space	
Giving People Space When Talking	
Hand Washing	
Hand Washing	
Hand Washing	14
Creating Visual Supports and Social Narrative Apps	
Calendar Template	
Countdown Example	
Visual Timer Using Stickie Notes	
Timer Apps	
Offer Opportunities for Expression	20
Communication Tools	
Expression Activities	22
Prioritize Coping and Calming Skills	23
Calming Routine	25
FACE COVID	
Self-Management	
Exercise Activities Choice Board	
Exercise Activities	29
Mindfulness Apps	
Maintain Routines	
Tips for Creating a Task Analysis	
Unload the Dishwasher	
Make a Snack	
Task Analysis Template	













Build New Routines	
Daily Schedule Example	40
Daily Schedule	
Daily Schedule Example	42
Daily Schedule Using Stickie Notes	43
Weekly Schedule	44
Inside and Outside Activities	45
Weekly Choices and Goals	46
Educational Resources for Kids	47
Movement Resources for Kids	
Educational and Movement Resources for Teenagers	49
Additional Activity Resources	50
How to Transition Off Screens	
Foster Connections	52
Calling with FaceTime	53
Marco Polo for Video Chats	54
Video Chat Apps	55
Be Aware of Changing Behaviors	
Crisis Supports	
Supporting Individuals with Autism through Uncertain Times	
References	59
Acknowledgements	60
Suggested Citation	60








Suppo

# Support Understanding

Individuals with autism may have varied levels of understanding about the COVID-19 virus, how it spreads, and how to reduce risk of exposure. Below are several strategies to use to provide additional meaning to this complex scenario.

Describe the virus and current situation (e.g. closures, social distancing) in concrete language and terms and avoid flowery or abstract phrasing. The understanding of abstract phrases and metaphors such as "she is under the



weather", "she caught the virus", and "he is scared stiff about this" can be difficult for individuals with autism and can create confusion (Lipsky,

2013). Using direct and clear language is recommended. Though stark-sounding, phrases like "The coronavirus is a type of germ. These germs are very tiny, and when they get inside your body, they can make you sick" may be easier for individuals with autism to understand. For more information, (https://www.pbs.org/newshour/health/10tips-for-talking-about-covid-19-with-yourkids).

Use a **social narrative**, a story that clarifies a situation and possible responses through modified text, photos, or the use of technology (Wong et al., 2014). Individuals on the autism spectrum benefit from

receiving information in multiple formats, as they often have receptive language deficits (Mody et al., 2013). Several example social narratives have been developed to give

individuals more information about COVID-19, help them understand how to reduce risk, provide insight into how they may be feeling, and offer assurance that those feelings are



normal. Reading the narratives to/with the individual with autism regularly across several days is helpful. Revisit and adjust as needed as circumstances shift.

Provide **visual supports** to offer guidance on coronavirus specific actions and behaviors. The "rules" around how we greet people (e.g. no more handshakes), how we interact with



people, even family members (e.g. social distancing), and how often/when we wash our hands (e.g. every time we come inside) are changing. Using





visual cues to break down the steps of these new expectations may be helpful, as individuals with autism may respond best to a more explicit and concrete explanation. Several examples are provided.

Offering visual cues to clarify the passage of time may be helpful. Individuals with autism may have trouble perceiving the passage of time, an invisible concept, and the use of a monthly, weekly, and/or daily

calendar may aid in tracking time out of school/in a guarantine situation. While we do not know an "end" date to today's uncertainty, marking the passage of time as well as including favorite activities, such as shows, online meetups, or game night on the calendar can be a helpful coping strategy.



#### Resources include:

Social Narrative: COVID-19 Social Narrative: Coronavirus Social Narrative: Greeting People Social Narrative: Giving People Space (Social Distancing) Social Narrative: Giving People Space When Talking Visual Support: Hand Washing (Clipart) Visual Support: Hand Washing (Photos) Task Analysis: Hand Washing **Creating Visual Supports and Social Narrative Apps** Visual Support: Calendar Template Visual Support: Countdown Example Visual Support: Timer (Using Stickie Notes) **Timer Apps** 





### COVID-19



Right now, lots of people are getting sick with a virus.

Doctors and leaders are working hard to keep everyone



healthy. I need to help keep myself safe and healthy too.



School is closed so students and teachers can stay

healthy. While school is closed, it is important for



everyone to stay home and not visit other people. While I





am at home, I can play, look at books, and learn. I also



need to wash my hands a lot with soap and water. This




will help keep me and my family healthy.





#### Coronavirus – COVID-19



Right now, there is a virus that is making people sick. Because it spreads so quickly, many schools and workplaces are closed. It is important to keep myself and others healthy right now, so I need to change some of my routines. Staying home and staying away from other people will help keep me and others healthy. I also need to wash my hands often and keep my hands to myself.


Doctors and leaders are doing their best to take care of sick people. If I am worried about the virus, I can talk to my parents. I will do my best to stay healthy.






## Greeting People

When I meet new people, I like to shake their hand. When I see people that I know, I like to hug them. Some people do not like to touch when they greet others. They may feel sick and do not want to share germs. They may not be comfortable with touching others. When I greet people, I should ask if they are okay with shaking hands or hugging. If they say no, I can wave and just say hi. Asking before shaking hands or hugging, will make everyone feel more comfortable.













### **Giving People Space**

All people need to have personal space.	Being too close can make people feel uncomfortable.	
$\mathbf{\dot{\uparrow}} \hookrightarrow \mathbf{\dot{\uparrow}}$		
When I talk to people, I should give them space.	When I sit with people, I should give them space.	
$\mathbf{\hat{f}} \longleftrightarrow \mathbf{\hat{f}}$	Ŀ.	
Giving people personal space, keeps them happy and healthy.		








#### Giving People Space When Talking

I like to talk to my friends and family. Sometimes I stand or sit very close to them when I am talking. When I do this, the other person may feel mad or unsafe. People like to have some space when they are talking to others. When I talk to my friends and family, I can stand or sit at least an arm's distance away. Giving people space when I talk will make them happy.













#### Hand Washing

C.	Step 1.
	Turn on warm water
	Step 2.
	Get hands wet
	Step 3.
SOAP	Get soap
	Step 4.
	Rub hands for 20 seconds
	Step 5.
	Rinse hands
	Step 6.
U-2	Turn water off
	Step 7.
	Dry hands









#### Hand Washing

	Step 1.
346	Turn on <mark>warm</mark> water
	Step 2.
0	Get hands wet
	Step 3.
	Get soap
	Step 4.
all	Rub hands for 20 seconds
	Step 5.
0	Rinse hands
THE A	Step 6.
	Turn water off
	Step 7.
	Dry hands











#### Hand Washing

- 1. Turn on warm water
- 2. Get hands wet
- 3. Get soap
- 4. Rub hands for 20 seconds
- 5. Rinse hands
- 6. Turn water off
- 7. Dry hands



Autism Evidence & Practice







## Creating Visual Supports and Social Narrative Apps

First Then Visual Schedule	Pictello	iPrompts
\$9.99	\$18.99	\$9.99
iCreate iCreate	Social Story Creator & Library	First Then
Free (in-app \$)	Free (in-app \$)	Free









#### **Calendar Template**

S	М	т	W	Т	F	S












#### **Countdown Example**







#### Visual Timer Using Stickie Notes











## **Timer Apps**

Childrens Countdown Timer	Visual Timer	<b>Stopwatch Timer</b>
Free (in-app \$)	Free (in-app \$)	Free (in-app \$)
Image: state s	Stopwatch & Timer+ \$4.49	Image: Constrained state\$2.00







# Offer Opportunities for Expression

Children and young adults will likely have difficulty articulately expressing how they feel about the many unexpected changes. Fear, frustration, and worry may be expressed through challenging behavior like tantrums, refusing to take part in family activities, or withdrawal. For individuals with autism, these communication difficulties may be coupled with expressive communication delays, limited verbal or nonverbal skills, difficulty perspective taking, and/or social communication deficits.

Consider providing multiple opportunities for family members to express their feelings as they are able—through family and individual discussions, writing activities, movie making, or play. Feelings and needs may be communicated through alternate forms of expression such as the use of augmentative and alternative communication (e.g. iPad, pictures), listening or playing music, dance, yoga, and various visual art forms. In addition, recognize that an increase in challenging behaviors may be

an expression of anxiety or fear, and consider if support strategies in place are adequate

(see strategy 3 for further discussion of coping and calming strategies). Several




examples are provided that can support expressive communication.

Resources include: Communication Tools Expression Activities





#### **Communication Tools**











## **Expression Activities**

Journaling	Art
E Create a daily routine	Create a Zine
<ul> <li>Create a bullet journal:</li> <li>One line a day</li> <li>Integrate images</li> <li>Calming tips</li> <li>Things that bring happiness</li> <li>Track mood</li> </ul>	<ul> <li>(pronounced zeen):</li> <li>A mixture of collage, art, and words</li> <li>Visit <u>Zine Making 101</u> for ideas and tips</li> <li>Share what you know about your favorite topics</li> <li>Create a 'How to'</li> </ul>
<ul> <li>Take a daily fun photo and describe what is happening</li> </ul>	<ul> <li>Create a graphic novel or comic strip:</li> <li>What do you miss?</li> <li>What are you worried</li> </ul>
<ul> <li>Video journal:</li> <li>Film 1 second daily</li> <li>Interview, talk about plans, mood</li> </ul>	about? • What are your hopes?







# Prioritize Coping and Calming Skills

Supporting individuals with autism to learn coping, self-management, and self-care skills is a priority during this time of uncertainty.

CSESA

Ideally, individuals with autism have some **coping and calming strategies** in their repertoire of skills to access with support during their most anxious times. These may include rocking in a rocking chair, listening to music on headphones, deep breathing,



watching a preferred video clip, brief periods of vigorous exercise, or accessing a

favorite activity or material. If coping or calming strategies are not yet part of the routine, caregivers can prioritize the teaching of these skills during this time of uncertainty.

 Strategically choose times of the day when the individual with autism is calm to initiate the instruction.



- Create a concrete and visual routine to support the use of these strategies.
  - Many free apps are available for calming strategies and guided meditations such as Calm, Headspace, Breathe2Relax,

Pacifica, and RainRain. Several examples of calming routines and self-management systems are provided.

- Ensure that the individual with autism has ample access to these calming activities.
- Coping/calming activities may be scheduled regularly across the day in the initial weeks of changes, then, if appropriate, caregivers may introduce and teach a **self-management plan** that

helps individuals track their anxious or worried responses and identify when the calming strategies are required.

Your emotions are valid.

Exercise/physical activity is a proven



strategy to reduce anxiety symptoms with the broader population, as well as with individuals with autism. Consider establishing or adding basic exercise routines for the family such










as wearing a FitBit and counting daily steps, a nightly walk, or an online/app-based workout. Many sites are offering free access during this time, such as the Down Dog yoga app, Nike Run Club, and Facebook Live streams from Planet Fitness.

#### **Resources include:**

Self-Management: Calming Routine Self-Management: FACE COVID Self-Management: Reinforcement Inside and Outside Exercise Activities Choice Board Exercise Activities Mindfulness Apps












## **Calming Routine**










# FACE COVID

	<u><b>Focus on what you can control</b></u> Say to yourself "I can control what I am doing here and now."
	Acknowledge your thoughts and feelings Silently and kindly acknowledge any thoughts and feelings
R	<u>Come back into your body</u> Slowly stretch your arms or neck, shrug your shoulders Take slow, deep breaths
	<b>Engage in what you are doing</b> Notice 5 things you can see, 3 things you can hear, 1 thing you can smell, and what you are doing
	Repeat the above 2 to 3 times
	<u><b>C</b></u> ommit to action What can you do this week to help yourself? Or others? Write it down in your schedule.
	Open up Acknowledge that your feelings are normal and that it is okay to feel what you are feeling
	<u>Values</u> How do you want to treat yourself? Others? Values include love, humor, kindness, honesty
ý	<b>Identify resources</b> Identify 'Who' and 'Where' to get help, assistance, and support
	Disinfect and distance Wash your hands and practice social distancing (Adapted from Rush Harris, 'The Happiness Trap' and 'I'm Learning ACT')












#### Self-Management










#### **Exercise Activities Choice Board**











#### **Exercise Activities**














#### Mindfulness Apps











## Maintain Routines

While it is important to create time and space for all family members to process uncertainty, **individuals with autism may cope best when daily routines are only minimally interrupted**. Routines can provide increased comfort for individuals with autism (Faherty, 2008) and may allow them to better express their feelings related to the changes. For example, instead of skipping a Friday night movie tradition because of increased screen time at other times during the week, choose a movie that can facilitate a conversation about the changes, loss, and/or associated feelings (e.g. *Inside Out, Finding Dory*). Combining the stress of the COVID-19 related changes with the addition of changed routines--especially if the new activities are nebulous or unstructured--could potentially exasperate or extend the adjustment process (Lipsky, 2013). Important routines to maintain include:

**Sleep/wake routines**: Maintaining physical health is key for all family members and



ensuring proper sleep is an important contributor. Sleep disturbances are more common in individuals with autism, thus extra attention may be

required to support good sleep hygiene and maintain bedtime and waking routines (see more <u>https://www.autismspeaks.org/sleep</u>).

#### Household chores/daily

living skills: Taking part in structured household chores and routines is a recommended strategy to support children and young adults coping with stress

(	

related to COVID-19. Individuals with autism may need additional supports, such as a **task analysis**, to be able to take part in and/or

complete these activities. Several examples are provided for common



chores along with a template that can be used for a variety of daily living activities. For more information related to COVID-19, see <u>https://www.nctsn.org/sites/default/files/res</u> <u>ources/fact-sheet/outbreak\_factsheet\_1.pdf</u>.

Expanding the use of a **visual schedule**, and using one more regularly throughout the day, may help facilitate participation in activities at home and reduce anxiety. Many







caregivers use elements of a visual schedule already (e.g. a calendar on the refrigerator, a list of errand locations, a photo of which therapist is coming to visit) and these can be extended for use across the day. The format and length of the schedule may vary based on the individual's needs, and several examples are included.

#### **Resources include:**

<u>Tips for Creating Task Analyses</u> <u>Task Analysis: Unload the Dishwasher</u> <u>Task Analysis: Make a Snack</u> <u>Task Analysis Template</u>









#### Tips for Creating a Task Analysis

- 1. Choose a task with a definitive start and end (e.g. set the table, get dressed, make bed)
- 2. Write down the steps as you do the task or as you watch another adult do the task
- 3. Give the steps to someone else to try to follow and make sure they are clear.
- 4. Write the final steps on a piece of paper to guide instruction for teaching the task to your son/daughter.
- 5. If needed, draw, or take picture cues for each step to post as a visual schedule for your child to reference.
- 6. Teach the task using the prompting strategy that fits your child best. Some learners who get easily frustrated may do best with most-to-least prompting in which you assist more, while other learners may reach independence with the task more quickly using a least-to-most prompting strategy.

Most-to Least Prompting	Least-to-Most Prompting
Full Physical	Visual Prompt
Partial Physical	Verbal Prompt
Modeling	Gestural Prompt
Gestural Prompt	Modeling
Verbal Prompt	Partial Physical
Visual Prompt	Full Physical









#### **Unload the Dishwasher**

Target Steps Date			
1. Open dishwasher			
2. Pull out bottom rack			
3. Remove plates one at a time			
4. Place plates in appropriate cupboard one at a time			
5. Remove any pots/pans			
6. Place pots/pans in appropriate cupboard			
7. Remove utensil basket			
8. Place utensil basket on counter near utensil drawer			
9. Place each utensil in appropriate matching drawer section			
10. Replace utensil basket in bottom dishwasher rack			
11. Push in bottom dishwasher rack			
12. Pull out top dishwasher rack			
13. Remove glasses one at a time			
14. Place glasses in appropriate cupboard one at a time			
15. Remove mugs one at a time			
16. Place mugs in appropriate cupboard one at a time			
17. Remove any other items one at a time			
18. Place other items in appropriate cupboard one at a time			
19. Push in top dishwasher rack			
20. Close dishwasher			
#/#			
%			









#### Make a Snack

Target Steps Date			
1. Go to kitchen			
2. Get a plate from cupboard			
3. Place plate on counter			
4. Take banana from basket on counter			
5. Place banana on plate			
6. Get cracker box from cupboard			
7. Open box			
8. Sprinkle an appropriate number of crackers onto plate			
9. Close box			
10. Put box back in cupboard			
11. Get a cup			
12. Fill cup with water			
13. Take water cup to table			
14. Get napkin			
15. Take napkin and plate to table			
16. Sit down and eat			
#/#			
%			







#### Task Analysis Template

Target Steps Date			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
#/#			
%			









# **Build New Routines**

It may also be necessary to create **new routines** during this time, as there are many new demands of caregivers—possibly homeschooling for the first time, continuing to work in/out of the home, and/or caring for multiple children or other family members. Several new routines that may be helpful are described below:

**Transitioning off screens:** For many reasons, including those listed above, children and



young adults may access screens more often and for longer periods of the day during this time.

Transitioning away from a device, especially after a period of extended use, may be difficult for many children and young adults; however, the behavioral rigidity and inflexibility often characteristic in individuals with autism may make these transitions problematic. Establishing a clear, consistent, and concrete routine for this transition can better prepare the individual for the coming transition and offer support throughout.

• Use a visual timer. It may be helpful for individuals with autism to "see" how

much time remains of screen time before they will be expected to transition to off the device. Concepts related to time are fairly abstract (e.g. "You have a few minutes"), often cannot



be interpreted literally (e.g. "Just a second" or "We need to get off in a minute"), and may be confusing, especially if time-telling is not a mastered skill. Presenting information related to time visually can assist in making the concepts more meaningful. One example is the Time Timer™ app (https://www.timetimer.com/collection s/applications), which displays a section of red that disappears when the time runs out.

• Another visual transition strategy to use is a **visual countdown system**. Like the

visual timer, a visual countdown allows an individual to "see" how much time is



remaining in an activity. The countdown differs, however, because there is no specific time increment used. This tool is beneficial if the timing of the transition needs to be flexible (e.g. caregiver would like the child to stay engaged on the device during a work





call but does not know when it will end). A countdown system can be made with numbered or colored squares or sticky notes, or any shape or style that is

meaningful to the individual. As the transition nears, the caregiver can



pull off or cross off the top item (e.g. the number 5) so the individual is able to see that only 4 items remain. The caregiver decides how quickly or slowly to remove the remaining items depending on when the transition will occur. Two minutes may elapse between the removal of number 3 and number 2, while a longer amount of time may elapse before the final number is removed. Once the final item is removed, the individual is taught that it is time to transition. Several examples are provided, and these can be used to support any transition.

**Offer choices**. In a time of crisis, when most people feel like so much is out of their



control, providing choices can increase a sense of autonomy and motivation. Creating regular opportunities across the day where family members have a

voice about what happens and when it happens can serve as an effective anxiety reducing strategy and a communication tool. These choices might include the route for the nightly walk, meal options, order of activities for the day, and/or preferences for activities. Several examples are provided for use across the day and age range.

**Create a workspace with a to-do list**. For the first time, many children and young

adults will be expected to complete schoolwork in the home setting. Individuals with autism may have



difficulty generalizing the strategies and skills they used in the school environment to the home environment (e.g. organizing materials, attending to work activities, submitting assignments online). Thus, it will be helpful to set up a designated workspace to help clarify expectations and reduce distractions. This may be a spot at the dining room table designated by a colored placemat and facing away from the television or



window. If multiple children are working in one space, consider adding a small visual divider (e.g. an open folder) between them. Caregivers can create a

visual "to-do" list in several different ways—a) placing the individual worksheets to be completed on the child's left and a small basket on the child's right to put them in when they are finished, or b) writing a short list on a sticky note of the tasks to accomplish during the work session (e.g. 1 science story and 15 minutes of ABC Mouse). These can be crossed off when they are









finished. Older children and young adults can likely generate their own to-do lists but

may need some initial support to set up a workspace and launch these routines.

#### **Resources include:**

Visual Support: Example of a Daily Schedule Visual Support: Daily Schedule Template Visual Support: Example of a Daily Schedule (Using Stickie Notes) Visual Support: Daily Schedule Template (Using Stickie Notes) Visual Support: Weekly Schedule Template Visual Support: Choice Board of Inside and Outside Activities Visual Support: Weekly Choices and Goals Template Educational Resources for Kids Movement Resources for Kids Educational and Movement Resources for Teenagers Additional Activity Resources How to Transition Off Screens












# Daily Schedule Example













# **Daily Schedule**

Task	Done









# Daily Schedule Example

Task	To Be Done	Done
Read (45 minutes)		
Computer (30 minutes)		
Eat lunch		
Walk the dog		
Complete homework		
Eat snack		











# **Daily Schedule Using Stickie Notes**

Task	To Be Done	Done













# Weekly Schedule

Task	S	Μ	Т	W	Т	F	S











### **Inside and Outside Activities**














# Weekly Choices and Goals












#### **Educational Resources for Kids**












#### **Movement Resources for Kids**











# Educational and Movement Resources for Teenagers

Educational	Movement
<b>Chan Academy</b> <u>Khan Academy</u> Free online courses, lessons, and practice	YOGA ADRIENE Yoga with Adriene
<u>Scratch</u> Program your own animations and stories	BORN TO MOVE Inspiring Young People Born to Move
<b>TEDEd</b> <u>TEDEd</u> Videos on topics of interest	The Fitologists 74.8K subscribers The Fitologists
<b>TeenTribune</b> Smithsonian Teen Tribune Articles about hot topics written across reading levels	











### **Additional Activity Resources**



#### Time to learn about space!

<u>Boredom Busters: 110 Fun</u> <u>At-Home Activities for</u> <u>Families & Kids</u>







CSESA

- 1. As much as possible, try to plan for screen time in the daily schedule. Make the times reasonable for your child's age.
- 2. Use a timer or clock to let your child know how much screen time they have so that they know what to expect.



Family Implemented TEACCH for Toddler

The National Professional Development Center

on Autism Spectrum Disorder: TESELA

3. Try to avoid planning screen time before nonpreferred activities. For example, it might be easier to transition your child from screen time to snack than it would be to transition from screen time to an academic task.





AUTISM Focused Intervention Resources & Modules









Individuals with autism are more susceptible to social isolation and loneliness, and this may be worsened by quarantine conditions. Positive social support is important for everyone during this period, and individuals with autism may need more explicit facilitation to ensure that social connections continue. Caregivers may need to check in **to ensure social contact** is continuing via text or direct messaging, and/or build in opportunities for daily social contact with family, friends, neighbors, teachers, or others via FaceTime, What's App, Google Hangout, Marco Polo, or other apps. Scheduling time to connect with others via online platforms to attend religious services, play chess, participate in socially engaged gaming, complete online schoolwork, or virtually volunteer are ways to safely promote social interaction and stave off isolation. Several examples provide support around using apps that can foster connectedness.

Resources include: <u>Task Analysis: Calling with FaceTime</u> <u>Task Analysis: Marco Polo for Video Chats</u> <u>Video Chat Apps</u>











# Calling with FaceTime












# Marco Polo for Video Chats













### Video Chat Apps

FaceTime Free (Apple)	WhatsApp Free	<b>S</b> Skype Free
Marco Polo Free	Facebook Messenger Free	<b>Coom</b> Free
Google Hangouts Free		







Be Aware of Changing Behaviors

As described in **Foster Connections**, individuals with autism may not be able to verbally express their fear, frustration, and anxiety about the many changes and/or their health, so these expressions may be demonstrated through other means. Caregivers should be aware of the behavior of individuals with autism during these uncertain times and **be alert for signs of anxiety and depression**. These may include a change in sleeping or eating patterns, increases in repetitive behaviors, excessive worry or rumination, increased agitation or irritability, or decreases in self-care (Hedges, White, & Smith, 2014, 2015). If these behavior changes are observed, additional support from mental health and/or medical providers such as a family doctor, therapist, psychologist, or psychiatrist may be warranted. The individual may require more support or different types of support (e.g., regular therapy, regular exercise, medication). Most mental health providers and non-urgent care medical providers are offering services via telehealth, and emergency legislation has expanded insurance coverage (including Medicaid) for these options.

Resources include: Crisis Supports









### **Crisis Supports**

Lifeline Crisis Chat

Provides emotional support, crisis intervention, and suicide prevention services

Crisis Text Line Text HOME to 741741

National Suicide Prevention Lifeline 1-800-273-8255

#### **IMALIVE**

Crisis intervention, and suicide prevention services

Girls & Boys Town National Hotline 1-800-448-3000

American Association of Poison Control Centers 1-800-222-1222

National Alliance on Mental Illness HelpLine Text NAMI to 741741

#### <u>Warmlines</u>

Not in a crisis but just want someone to talk to.



11111

AFIRM Autism Focused Intervention Resources & Modules CSESA

The National Professional Development Center

on Autism Spectrum Disorder: TESELA

Family Implemented TEACCH for Toddler

Plotting a course through the COVID-19 pandemic is a trying experience for all. Caregivers supporting individuals with autism during this time face extra challenges. These 7 strategies and the associated resources and examples will allow individuals with autism to better understand COVID-19, cope with the many changes associated with COVID-19, and practice communication, social, and adaptive skills that may reduce some of the trials during this very uncertain time.

As a caregiver, it is easy to be focused on how this time of uncertainty is impacting the child(ren) in the home, especially those with additional needs, but this pandemic has considerable impact on all family members. We encourage caregivers to prioritize their own self-care in whatever form that takes – meditation, connecting with other parents who understand the situation, watching a favorite show, enjoying a snack alone, exercise, or taking an extra-long shower. Caregivers, alongside the individual with autism, are navigating unprecedented territory without a clear end point which requires ongoing acts of self-kindness and self-preservation.

To learn more about autism, the strategies in this article, and other evidence-based practices, please visit our free, interactive online modules: <u>https://afirm.fpg.unc.edu/afirm-</u> <u>modules</u>











#### References

- Faherty, C. (2008). Understanding death and illness and what they teach about life: A practical guidebook for people with autism or Asperger's, and their loved ones. Future Horizons: Arlington, TX.
- Hedges, S., White, T., & Smith, L. (2014, May). <u>Depression in adolescents with ASD (Autism at-a-Glance Brief</u>). Chapel Hill: The University of North Carolina, Frank Porter Graham Child Development Institute, CSESA Development Team.
- Hedges, S., White, T., & Smith, L. (2015, February). <u>Anxiety in adolescents with ASD</u> (<u>Autism at-a-Glance Brief</u>). Chapel Hill: The University of North Carolina, Frank Porter Graham Child Development Institute, CSESA Development Team.
- Hume, K., Regan, T., Megronigle, L., & Rhinehalt, C. (2016). Supporting students with autism spectrum disorder through grief and loss. *Teaching Exceptional Children*, 48(3), 128-136.
- Lipsky, D. (2013). *How people with autism grieve, and how to help: An insider handbook.* Jessica Kingsley Publishers. London, England.
- Mody, M., Manoach, D. S., Guenther, F. H., Kenet, T., Bruno, K. A., McDougle, C. J., & Stigler, K. A. (2013). Speech and language in autism spectrum disorder: a view through the lens of behavior and brain imaging. *Neuropsychiatry*, *3*(2), 223-232.
- National Child Traumatic Child Stress Network. (2020). Parent/caregiver guide to helping families cope with the Coronavirus disease 2019 (COVID-19) At https://www.nctsn.org/sites/default/files/resources/factsheet/outbreak\_factsheet\_1.pdf
- Ten Tips for Talking about COVID with your Kids: <u>https://www.pbs.org/newshour/health/10-tips-for-talking-about-covid-19-with-your-kids</u>
- Wong, C., Odom, S. L., Hume, K. Cox, A. W., Fettig, A., Kucharczyk, S., ... Schultz, T. R. (2014). Evidence-based practices for children, youth, and young adults with autism spectrum disorder. Chapel Hill: The University of North Carolina, Frank Porter Graham Child Development Institute, Autism Evidence-Based Practice Review Group.









# Acknowledgements

The research reported here was supported by the Institute of Education Sciences, U.S. Department of Education through Grant R324B160038 awarded to University of North Carolina at Chapel Hill. The opinions expressed represent those of the authors and do not represent the U.S. Department of Education.

# **Suggested Citation**

Hume, K., Waters, V., Sam, A., Steinbrenner, J., Perkins, Y., Dees, B., Tomaszewski, B., Rentschler, L., Szendrey, S., McIntyre, N., White, M., Nowell, S., & Odom, S. (2020). Supporting individuals with autism through uncertain times. Chapel Hill, NC: School of Education and Frank Porter Graham Child Development Institute, University of North Carolina at Chapel Hill. Retreived from: <a href="https://afirm.fpg.unc.edu/supporting-individuals-autism-through-uncertain-times">https://afirm.fpg.unc.edu/supporting-individuals-autism-through-uncertain-times</a>